




Technical Data Hall 26a

length	74 m
width	67 m
gross area m ²	4.259 m ²
clearance height	7,00 + 4,64 m
utility floor on a solid base	no
solid floor with cable ducts	yes
maximum permissible surface load	50 kN/m ² (In the vicinity of ducts only 10 kN/m ²)
fork lift and truck with wheel load	3,5 t
available intermediate ceiling	no
suspension points max. load 2 kN/pt.	no
daylight from window	two sided
number of gates	4
entrance dimensions (width x height)	4,90 m x 5,00 m
gas connection possible	yes
cooling	yes
water connection up to 50 mm	yes
water drainage up to 100 mm	yes
firefighting system	sprinkler system
supports	yes
freight elevators	no


HALLDATA



Technical Data Hall 26b

length	59 m
width	67 m
gross area m ²	3.453 m ²
clearance height	7,00 m
utility floor on a solid base	no
solid floor with cable ducts	yes
maximum permissible surface load	50 kN/m ² (In the vicinity of ducts only 10 kN/m ²)
fork lift and truck with wheel load	3,5 t
available intermediate ceiling	no
suspension points max. load 2 kN/pt.	no
daylight from window	two sided
number of gates	4
entrance dimensions (width x height)	4,90 m x 5,00 m
gas connection possible	yes
cooling	yes
water connection up to 50 mm	yes
water drainage up to 100 mm	yes
firefighting system	sprinkler system
supports	yes
freight elevators	no

HALLDATA



Technical Data Hall 26c

length	74 m
width	44 m
gross area m ²	3.189 m ²
clearance height	7,00 + 4,64 m
utility floor on a solid base	no
solid floor with cable ducts	yes
maximum permissible surface load	50 kN/m ² (In the vicinity of ducts only 10 kN/m ²)
fork lift and truck with wheel load	3,5 t
available intermediate ceiling	no
suspension points max. load 2 kN/pt.	no
daylight from window	two sided
number of gates	3
entrance dimensions (width x height)	4,90 m x 5,00 m
gas connection possible	yes
cooling	yes
water connection up to 50 mm	yes
water drainage up to 100 mm	yes
firefighting system	sprinkler system
supports	yes
freight elevators	no

HALLDATA